

SOELBERG INDUSTRIES





HELLO

More than 20 years ago, Soelberg Industries began as simple ambition to create. What we have learned during that time is that design is founded in evolution, innovation, collaboration and the way in which we relate to the people and the spaces that surround us. We are a family and we design together.

As you know, we love texture. At Soelberg Industries, we use our curiosity for depth and dimension to sculpt and create ideas. The use of advanced technology and machinery allows us to provide a selection of thoughtfully curated architectural panels and products for your creative ventures. All of our products are proudly made in the USA.

Take a look at what we have been up to and we invite you to explore how our products will inspire your next project.

Kirk Soelberg and Steve Soelberg

Founders







CONTENTS

009	TEXTURED PANELS
011	classic collection
037	elevate collection
059	grande collection
071	impressions collection
085	NATURA WOOD PANELS
111	DIVIDER PANELS
131	MATRIX SYSTEM
133	geo tiles
139	piastra
145	SOLID SURFACE
151	GLOW PANELS
155	SLAB PANELS









Designer: Strapko Pahl Project: Nicollet Station Dental Location: Minneapolis, MN Photo: Soelberg Industries Pattern shown: Onda One in Venus Silve

BLOCCO








classic collection


BAMBU

Core thickness: 3/4" Standard panel size: 48" x 96" Pattern orientation: Horizontal or Vertical Seam repeat: Horizontal and Vertical



CANTENA

Core thickness: 3/4" Standard panel size: 48" x 96" Pattern orientation: Horizontal or Vertical Seam repeat: Horizontal and Vertical



COLARE

Core thickness: 3/4" Standard panel size: 48" x 96" Pattern orientation: Horizontal or Vertical Seam repeat: Horizontal and Vertical



COLONNA

Core thickness: 3/4" Standard panel size: 48" x 96" Pattern orientation: Horizontal Seam repeat: Horizontal - repeats every six panels



classic collection










classic collection



FIUME

Core thickness: 3/4" Standard panel size: 48" x 96" Pattern orientation: Horizontal or Vertical Seam repeat: Horizontal and Vertical





Designer: CCG Howells Project: Henry Schein Location: American Fork, UT Photo: Soelberg Industries Pattern shown: Flume in Glacier White

classic collection

PIOGGIA

Core thickness: 3/4" Standard panel size: 48" x 96" Pattern orientation: None Seam repeat: Horizontal and Vertical



SCOLPITO






Designer: AMB Design Project: Alliance Health Location: South Jordan, UT Photo: Soelberg Industries Pattern shown: Scolpito in White HG

GEMMA





Designer: BKV Group Project: Lake Calhoun Flats Location: Minneapolis, MN Photo: Soelberg Industries Pattern shown: Liscio in paint grad










ONDA TWO






SCULTURA

Core thickness: 3/4" Standard panel size: 48" x 96" Pattern orientation: Horizontal or Vertical Seam repeat: Horizontal and Vertical



SERPENTE

Core thickness: 3/4" Standard panel size: 48" x 96" Pattern orientation: Horizontal Seam repeat: Horizontal




STRISCIA

Core thickness: 3/4" Standard panel size: 48" x 96" Pattern orientation: Horizontal or Vertical Seam repeat: Horizontal and Vertical



TURBINE





SPACCATO



Designer: Dr. Jason Nicholson Project: Sundance Implant Location: Provo, UT Photo: Soelberg Industries Pattern shown: Spaccato in White HG
































EASY TO SPECIFY


- 1. Choose your pattern
- 2. Select pattern orientation excludes: Carta, Colonna Pioggia, Scolpito and Spaccato
- 3. Determine finish selection
- 4. Provide panel configuration

classic collection **FINISH** OPTIONS










All Classic Collection patterns are available in Premium MDF, FF MDF (NAUF) or Class A Fire Rated MDF cores. Each pattern is machined from 3/4" thick core with varying depths. All patterns are available finished in any of our 3D laminate finish options or available in paint grade material to be finished onsite.

Installation methods include: Zclip Hardware, Stand Off Hardware, Industrial Adhesive, VHB double bond double stick tape or the combination. Visit soelbergi.com to download instructions.






elevate collection

APE

Core thickness: 1 1/8" Standard panel size: 48" x 96" Pattern orientation: Horizontal or Vertical Seam repeat: Horizontal and Vertical




COLLINA

Core thickness: 1 1/8" Standard panel size: 48" x 96" Pattern orientation: Horizontal or Vertical Seam repeat: Horizontal and Vertical



FASCINO

Core thickness: 1 1/8" Standard panel size: 48" x 96" Pattern orientation: None Seam repeat: Horizontal and Vertical



FLUSSO



OCEANO

Core thickness: 1 1/8"
Standard panel size: 48" x 96"
Pattern orientation: Horizontal or Vertical
Seam repeat: Horizontal and Vertical





Designer: BSI Design Build Furnish Project: BSI Showroom Location: Waukesha, WI Photo: Tricia Shay Photography Pattern shown: Oceano in paint grade

that collect

041




Designer: HGA Architects and Engineers Project: Olmsted Medical Center Location: Rochester, MN Photo: Soelberg Industries Pattern shown: Ondata in Boardwalk



NUOTARE

Core thickness: 1 1/8" Standard panel size: 48" x 96" Pattern orientation: Horizontal or Vertical Seam repeat: Horizontal and Vertical




RIGA LUNGA

Core thickness: 1 1/8" Standard panel size: 48" x 96" Pattern orientation: Horizontal or Vertical Seam repeat: Horizontal and Vertical



SABBIA

Core thickness: 1 1/8" Standard panel size: 48" x 96" Pattern orientation: Horizontal or Vertical Seam repeat: Horizontal and Vertical



SCALA

Core thickness: 1 1/8" Standard panel size: 48" x 96" Pattern orientation: Horizontal or Vertical Seam repeat: Horizontal and Vertical




SUONO


Core thickness: 1 1/8" Standard panel size: 48" x 96" Pattern orientation: Horizontal or Vertical Seam repeat: Horizontal and Vertical




VETRINO

Core thickness: 1 1/8" Standard panel size: 48" x 96" Pattern orientation: None Seam repeat: Horizontal and Vertical





Designer: Canyon Park Project: Building K Location: Orem, UT Photo: Soelberg Industries Pattern Shown: Vetrino in White HG



elevate collection

STATUA

Core thickness: 1 1/8" Standard panel size: 48" x 96" Pattern orientation: Horizontal or Vertical Seam repeat: Horizontal and Vertical




Designer: EDA Archifects Project: McGillis Investment Company Location: Salf Lake City, UT Photo: Soelberg Industries Pattern shown: Status in paint grade

049 to see more visit soelbergi.com




STILLARE



STRISCIONE

Core thickness: 1 1/8" Standard panel size: 48" x 96" Pattern orientation: Horizontal or Vertical Seam repeat: Horizontal and Vertical






Designer: Wagner Design Project: Mayline Showroom Location: Chicago, IL Photo: Soelberg Industries Pattern shown: Striscione in Portuna Light

elevate collectio

053 to see more visit soelbergi.com

elevate collection


TESSERE







Installation methods include: Zclip Hardware, Stand Off Hardware, Industrial Adhesive, VHB double bond double stick tape or the combination. Visit soelbergi.com to download instructions.



EASY TO SPECIFY

- 1. Choose your pattern
- Select pattern orientation
 excludes: Fascino, Flusso and Vetrino
- 3. Determine finish selection
- 4. Provide panel configuration

All Elevate Collection patterns are available in Premium MDF, FF MDF (NAUF) or Class A Fire Rated MDF cores. Each pattern is machined from 1 1/8" thick core with varying depths. All patterns are available finished in any of our 3D laminate finish options or available in paint grade material to be finished onsite.

elevate collection **FINISH** OPTIONS





TEXTURED PANELS

GRANDE COLLECTION

'grande' means HUGE which means your texture statements just got bigger



9 large scale texture patterns to choose from

core thickness ranging from 1 1/8" to 1 1/4"

large blank walls with thank you.

design bigger with grande.

DISTRUTTO

Core thickness: 1 1/4" Standard panel size: 48" x 96" Pattern orientation: None Seam repeat: Horizontal and Vertical




bigger is not always better... but when it comes to texture, grande texture is supersized

rande collectior

grande collection

MARE

Core thickness: 1 1/8"
Standard panel size: 48" x 96"
Pattern orientation: Horizontal or Vertical
Seam repeat: Horizontal and Vertical





Designer: GSBS Architects Project: Asea Location: Pleasant Grove, UT Photo: Soelberg Industries Pattern shown: Mare in paint grade

063 to see more visit soelbergi.com



grande collection

TUFFO
















grande collection **PATTERN** OPTIONS























EASY TO SPECIFY

- 1. Choose your pattern
- 2. Select pattern orientation excludes: Distrutto, Flauto, Piega & Punto
- 3. Determine finish selection
- 4. Provide panel configuration

The Grande Collection patterns are available in Premium MDF, FF MDF (NAUF) or Class A Fire Rated MDF core.

The following patterns are machined from $1\ 1/8$ " core material: Bloccato, Cesellato, Mare, Scivolo and Tuffo. The following patterns are machined from $1\ 1/4$ " core material: Distrutto, Flauto, Piega and Punto.

All patterns from the Grande Collection can be finished in any of our 3D laminate finish options or ordered in paint grade material to be finished onsite. All finishing should be done in accordance with local building standards and completed by a licensed finishing contractor.

Installation methods include: Zclip Hardware, Stand Off Hardware, Industrial Adhesive, VHB double bond double stick tape or the combination. Visit soelbergi.com to download instructions.

grande collection **FINISH** OPTIONS























Designer: Owner Project: Radiology Corridor Location: Rochester, MN Photo: Soelberg Industries Pattern Shown: custom scale Albero in Glacier W


to see more visit soelbergi.com

impressions collection

ALBERO

Core thickness: 3/4" Standard panel size: 48" x 96" Pattern orientation: Vertical Seam repeat: Horizontal






BELLINO

Core thickness: 3/4" Standard panel size: 48" x 96" Pattern orientation: Vertical Seam repeat: Horizontal and Vertical




CUBO

Core thickness: 3/4" Standard panel size: 48" x 96" Pattern orientation: Horizontal Seam repeat: Horizontall



ENIGMA

Core thickness: 3/4" Standard panel size: 48" x 96" Pattern orientation: None Seam repeat: Horizontal and Vertical





Designer: ABBARCH Architecture Inc. Project: Churchill Services Group Location: Vancouver, BC Photo: Jimmy Jeong Pattern Shown: Cubo in White HG


Core thickness: 3/4" Standard panel size: 48" x 96" Pattern orientation: None Seam repeat: Horizontal and Vertical

i search for realness, the real feeling of a subject, all the texture around it...

i always want to see the third dimension of something...

- Andrew Wyeth (artist)





Designer: CorePower Yoga Project: CPY Ponce City Market Location: Atlanta, GA Photo: Mindy Debner Pattern shown: Fiore in paint grade



impressions collection

HEXAGONO

Core thickness: 3/4" Standard panel size: 48" x 96" Pattern orientation: Horizontal or Vertical Seam repeat: Horizontal and Vertical




SALDARE

Core thickness: 3/4" Standard panel size: 48" x 96" Pattern orientation: None Seam repeat: Horizontal and Vertical



TREPPIEDE

Core thickness: 3/4" Standard panel size: 48" x 96" Pattern orientation: None Seam repeat: Horizontal and Vertical






Designer: studioWTA Project: Shine Spa Location: New Orleans, LA Photo: Jeffery Johnson Pattern Shown: Fiore in paint grade


impressions collection PATTERN OPTIONS

















EASY TO SPECIFY


- 1. Choose your pattern
- 2. Determine finish selection
- 3. Provide panel configuration or panel quantity


The Impressions Collection patterns are available in Premium MDF, FF MDF (NAUF) or Class A Fire Rated MDF core. Each pattern is machined from 3/4" MDF core with pattern repeat both horizontal and vertical with the exception of Albero and Cubo which repeat soley horizontally. All patterns from the Impressions Collection can be finished in any of our 3D laminate finish options or ordered in paint grade material to be finished onsite.

All finishing should be done in accordance with local building standards and completed by a licensed finishing contractor. Installation methods include: Zclip Hardware, Stand Off Hardware, Industrial Adhesive, VHB double bond double stick tape or the combination.

Visit soelbergi.com to download instructions.

impressions collection FINISH OPTIONS







natura panels


the past becomes a texture, an ambience to our present
- Paul Scott (novelist)




Designer: Dekker Perich Sabatini Project: TTU Industrial Engineering Relocation Location: Lubbock, TX Photo: Travis Lewis DPS Design Pattern shown: Camellia

COLTELLO

Core thickness: 3/4" Standard panel size: 48" x 96" Pattern orientation: Vertical Seam repeat: Horizontal and Vertical







Designer: Phanomen Design Project: Mesh Restaurant Location: Louisville, KY Photo: Seppala Photography Pattern shown: Falena





Designer: NELSON Project: AIS Showroom Location: Chicago, IL Photo: Soelberg Industries Pattern shown: Lamella


LUMACA

Core thickness: 3/4" Standard panel size: 48" x 96" Pattern orientation: Horizontal or Vertical Seam repeat: Horizontal and Vertical










natura panels

NIDO

Core thickness: 3/4" Standard panel size: 48" x 96" Pattern orientation: Vertical Seam repeat: Horizontal and Vertical



BRUCO

Core thickness: 3/4" Standard panel size: 48" x 96" Pattern orientation: Horizontal or Vertical Seam repeat: Horizontal and Vertical



SCUOLA

Core thickness: 3/4" Standard panel size: 48" x 96" Pattern orientation: Horizontal or Vertical Seam repeat: Horizontal and Vertical



RAGGIO

Core thickness: 3/4" Standard panel size: 48" x 96" Pattern orientation: Horizontal Seam repeat: Horizontal - repeats every six panels




VERME

Core thickness: 3/4" Standard panel size: 48" x 96" Pattern orientation: Horizontal or Vertical Seam repeat: Horizontal and Vertical








natura panels


ROTTO

Core thickness: 3/4" Standard panel size: 48" x 96" Pattern orientation: None Seam repeat: None




Designer: CTA Group Project: Dell Location: Austin, TX Photo: CTA Group Pattern shown: Rotto






natura panels **TEXTURE** PATTERN OPTIONS



All Natura Collection patterns are machined from 3/4" thick Baltic Birch plywood core. The max panel size is 4' x 8'. All patterns are programmed for pattern match both horizontally and vertically except Raggio which only matches horizontally and repeats every six panels.


natura panels **DIVIDER** PATTERN OPTIONS



All Natura Collection divider patterns are available in standard 4' x 8' panels only.

The Natura Collection of architectural panels is manufactured from a Baltic Birch plywood core. Using unique routing methods, we create texture and dimension by exposing the multiple layers beneath the surface of the plywood core. Soelberg Industries makes every effort to use the highest quality material available. Because of the natural characteristics of plywood, variations in color, plattern, texture, grain and density should not be considered a defect but rather unique and individual characteristics of your product resulting in a one-of-a-kind panel. While the panels are programmed to pattern match at seams from sheet to sheet, the shading / color consistency will vary from panel to panel and should be expected. Dowload the full product disclaimer at soelbergi.com.

The Natura Collection of architectural panels is available unfinished. All finishing should be done in accordance with local building standards and completed by a licensed finishing contractor. Soelberg Industries is not responsible for changes or modifications made to the product in the field. Customers' purchase and installation of the Natura Collection panels constitute the acknowledgement of the individuality and risks inherent in the use and installation of this natural product.



divider panels

ALEVARE

Core thickness: 3/4"
Standard panel size: 48" x 96"
Panel orientation: Vertical or Horizontal
Seam repeat: None

texture creates interiors that create


memories



Designer: KGD Architecture Project: MedImmune Location: Gaithersburg, MD Photo: John Cole Photography Pattern shown: Circolo in Blonde Maple



Core thickness: 3/4" Standard panel size: 48" x 96" Panel orientation: Vertical or Horizontal Seam repeat: Horizontal across 3 panels



The Forbici pattern is designed and programmed for a three panel configuration with pattern repeating at the seams across 3 panels in 4° x 8° sizing. The Forbici pattern can be installed in random non-repeating order as shown above.

Custom sizes are available as well as custom pattern repeat to extend both horizontally and vertically across a larger number of panels. Custom size and custom pattern cannot be finished in 3D laminate. Limitations do apply.


The Forbici pattern is available face finished in 3D laminate in standard 4' x 8' panels and standard pattern. When finished, the face will have a bevel. For two sided finished Forbici, specify double quantity panels with mirrored pattern to be installed back-to-back.


Designer: BNB Design Project: Summit on Quality Hill Location: Kansas City, MO Photo: Carole Paris Photography Pattern shown: Forbici in paint grade


divider panels

LEGNO

Core thickness: 3/4" Standard panel size: 48" x 96" Panel orientation: Vertical or Horizontal Seam repeat: Horizontal and Vertical








MONDO

divider panels

Core thickness; 3/4" Standard panel size: 48" x 96" Panel orientation: Vertical or Horizontal Seam repeat: None



PIZZO

Core thickness: 3/4" Standard panel size: 48" x 96" Panel orientation: Vertical or Horizontal Seam repeat: None







divider panels RAMO


Seam repeat: None








Designer: HVS Design Project: Hyaff Place Georgefown Location: Washingfon, DC Photo: VRX Studios Pattern shown: Ramo in paint grade














Each of the Paint Grade divider pattern options is manufactured from 3/4" MDF core. All patterns have a square edge on the face and back. Due to the intricate designs and sharp inside corners, these patterns cannot be finished in 3D laminate. All finishing to be performed in the field.

divider panels **LAMINATE FINISHED** PATTERN OPTIONS












Each of the Laminate Finished divider pattern options is manufactured from 3/4" MDF core and can be finished in any of our 3D laminate colors or ordered in paint grade to be finished in the field. Each pattern has a textured / beveled face and flat back with laminate finished face and edges and Melamine finished back. For two sided finished panels, order mirrored panels to be installed back-to-back.

divider panels **FINISH** OPTIONS






 $All\ Divider\ patterns\ are\ available\ in\ Premium\ MDF, FF\ MDF\ (NAUF)\ or\ Class\ A\ Fire\ Rated\ MDF\ cores.\ Each\ pattern\ is\ machined\ from\ 3/4"\ thick$ core with varying depths with standard panel size of 48" x 96".

Installation recommendations include: Point support, Zclip hardware, suspension hardware, adhesive suitable for MDF panels, aluminum channeling and other various millwork applications. Because Soelberg Industries does not provide installation services, we recommend that you work directly with a professional contractor or millworker and / or painter when finishing panels onsite. Visit soelbergi.com to download instructions.





Designer: Beth Benson Project: Art Partners Location: Minneapolis. MN Photo: Soelberg Industries Pattern shown: Salita in Concret

to see more visit soelbergi.com

ABISSO

Core thickness: 1 1/8"
Tile size: 18" x 12"
Tile orientation: Horizontal or Vertical



Pattern shown: Abisso in Tin Ceiling





geo files **SQUARE** PATTERN OPTIONS











All Square Pattern Geo Tiles are 22" x 22" in size. Caduta, Casco & Salita are machined from 1 1/8" MDF core. Riccio and Volo are machined from 3/4" MDF core.

geo tiles **SHAPE** PATTERN OPTIONS







Aereo (9" x 9") Mi

Muro (18" x 6")

All Shape Pattern Geo Tiles are machined from 1 1/8" MDF core.

EASY TO SPECIFY

Abisso (18" x 12")

1. Select a tile pattern


2. Choose a finish or a combination

3. Determine tile quantity


Inspired by modern simplicity, the love of clean lines and the versatility of texture, Geo Tiles come together to create movement and motion in Geometric form. Each tile pattern can be finished in any of our 3D laminate colors options. By rotating tiles 90, 180 or 270 degrees you can tailor and customize your very own design. Geo Tiles are the solution for big impact in small spaces with just a few tiles to large commercial spaces with full walls of repeating texture.

Installation recommendations are industrial adhesive, VHB double bond tape or the combination of both. Because Soelberg Industries does not provide installation services, we recommend that you work directly with a professional contractor or millworker and / or painter when finishing panels onsite. Visit soelbergi.com to download instructions.

geo tiles **FINISH** OPTIONS










Designer: Elliott Workgroup Project: The Parkite Location: Park City, UT Photo: Soelberg Industries Pattern shown: Piastra in custom finish



Designer: Commercial Furniture Concepts Project: Rain Location: American Fork, UT Photo: Soelberg Industries Pattern shown: Piastra in custom finish



piastra STANDARD PLANK SIZES




EASY TO SPECIFY

- 1. Select a finish
- 2. Choose pattern orientation
- 3. Provide overall width and height dimensions


Piastra can be installed in horizontal or vertical orientation.

Piastra can be finished in any of our 3D laminate colors. Select 1 single finish or up to 3 various finishes. By providing the dimensions (width and height) of your wall or ceiling location, we tailor the standard configuration and standard planks sizes to fit the exact dimensions of your installation. Each plank is labeled (as shown below) and corresponds to the installation key provided with your order for a simple plank-by-plank assembly.



Designer: Little Diversified Architectural Consulting Project: Richmond Corporate Office Location: Richmond, VA Photo: Tim Buckman Photography Product shown: Piastra in Mali Wenge


piastra **FINISH** OPTIONS





Piastra is available in Premium MDF, FF MDF (NAUF) or Class A Fire Rated MDF core. With two thicknesses of 3/4" and 1 1/8", staggered plank heights of 4" and 6" and lengths ranging from 12" to 36" Piastra creates a unique and multi-textural surface.

Installation is achieved with industrial adhesive, VHB double bond tape or the combination of both. Begin at the bottom row working left to right attaching planks in the order shown on your installation key.





Full sized panel options of 30" x 96" or 30" x 120" with pattern continuation / seam repeat both horizontally and vertically.



Designer: Commercial Furniture Concepts Project: Henry Schein Location: American Fork, UT Photo: Soelberg Industries Product shown: Corda in Neo White and Metal Grey














solid surface **CORE COLOR** OPTIONS









Core thickness: 1/2"

EASY TO SPECIFY

- 1. Select a pattern
- 2. Choose core color
- 3. Determine pattern orientation

Solid Surface Texture Panels are available in 4 different core colors with 7 texture patterns to choose from.

With sheet size options of 30" x 96" or 30" x 120" with seam repeat both horizontally and vertically, Solid Surface Texture Panels allow you to take your textural visions to new heights.

Solid Surface core material is ideal for almost any application beacause of its resistance to heat, moisture, pollutants, bacteria and other harmful agents. The core is UV stable and withstands harsh weather conditions. Because Solid Surface is non-porous and NSF-51 certified, our panels are ideal for food preparation installation.

Installation recommendations include: Point support, adhesive suitable for acrylic / resin panels, aluminum channeling and other various millwork applications. Because Soelberg Industries does not provide installation services, we recommend that you work directly with a professional contractor or millworker.







glow panels **HARDWARE** OPTIONS



Stand Off Hardware





Glow Panels consist of a PureCore® premium quality medium density fiberboard (MDF) substrate with a co-extruded polymer high gloss-acrylic top layer. Glow Panels are polyurethane (PUR) laminated in a Class 100 (ISO5) cleanroom, a manufacturing process uniquely suited for the lamination of high-gloss materials to achieve spectacular results.

Glow Panels high-gloss surface is scratch resistant, but not "scratch proof." Please take precautions to protect the surface until the product has been properly installed.

Best results for cleaning will be achieved when using wet micro-fiber cloths or chamois with non-abrasive soap or detergent.

The max panel size is 48" x 96". Glow Panels are also available made-to-order.

glow markerboard panels **SIZE** OPTIONS

36'' x 24''	48" x 36"	60'' x 42''	60'' x 48''
72" x 48"	84" x 48"	96" x 48"	

Glow Markerboard panels are 3/4" thick and acrylic face finished only with melamine backing. Select from Standoff or ZClip hardware options.

glow privacy panels **SIZE** OPTIONS

18" x 12"	24" x 12"	30" x 12"	36" x 12"
42" x 12"	48" x 12"	54" x 12"	60" x 12"
66" x 12"	72" x 12"	78" x 12"	84" x 12"
90" x 12"	96" x 12"		
18" x 18"	24" x 18"	30" x 18"	36" x 18"
42" x 18"	48" x 18"	54" x 18"	60" x 18"
66" x 18"	72" x 18"	78" x 18"	84" x 18"
90" x 18"	96" x 18"		

Glow Privacy panels are 3/4" thick and acrylic face and back finished. Select black, grey or white Standing Hardware. Panels longer than 48" will require 3 or more Standing Hardware bases.

glow panels **COLOR** OPTIONS



12 different rich and glossy colors to choose from with 12 matching edgebanding options.

glow panels MARKER CADDY



available with 4 colors

Red Blue Green Black

to see more visit soelbergi.com



Designer: Erin Hansen Project: Larry H. Miller Ford Location: South Jordan, UT Photo: Soelberg Industries Pattern Shown: Slab panels in Candlelight and Gauntlet Gre

Minimum panel width: 2"

Slab panels are available in 3/4" or 1 1/8" MDF core and can be finished in any of our 3D laminate colors.

We offer panels with a max panel size of 48" x 96" or manufactured to size with a minimum panel width of 2" and max length of 96".

Slab panels are available in Premium MDF, FF MDF (NAUF) or Class A Fire Rated MDF core.

Installation recommendations include: Point support, Zclip hardware, adhesive suitable for MDF panels, aluminum channeling and other various millwork applications. Because Soelberg Industries does not provide installation services, we recommend that you work directly with a professional contractor or millworker. Visit soelbergi.com to download instructions.

EASY TO SPECIFY

- 1. Select a core thickness
- 2. Choose finish color
- 3. Determine panel size and quantity



slab panels **FINISH** OPTIONS































































Soelberg Industries is family owned and operated since 1996. We are committed to our customers, each other and the environment. We provide high-quality architectural products manufactured in the USA with the latest technologies and techniques with eco-friendly manufacturing processes. And, because we use 100% recycled wood products in all our MDF and only water-based adhesives, we're keeping the earth green at the same time with products that are safe for the environment.