

SPAZIO

MUTO acoustic
wall tile solutions

SOELBERG

SPAZIO

MUTO acoustic wall tile solutions

Introducing MUTO Acoustic Tile Mania. With bold geometric forms, Spazio Tiles create dimension with shape and shadow to absorb that unwanted noise. With a variety of unique profiles that interact together and endless color options to choose from, mix and match to create your very own functional wall art. With our two week manufacturing lead time, your curated walls come together in no time at all.


SPECIFICATION

CONTENT	100% POLYESTER (PET) FELT
CORE THICKNESS	1/2" (12MM)
TILE	7 UNIQUE TILE PROFILES
COLOR	39 SOLID COLORS 12 WOODED GRAINS 4 PRINT COLORS
WEIGHT	2 1/2 - 3 LBS EACH TILE
DIMENSIONS	SIZE: 16" x 16" MIN DEPTH: 1.5" MAX DEPTH: 3.5"
ORIENTATION	WALL APPLIED ROTATE AS DESIRED
WALL ATTACHMENT	MUTO CLEAT OR OTHER
ACOUSTICS	1.10 NRC
FIRE RATING	CLASS A ASTM - E84
ENVIRONMENTAL	DELCARE, MINDFUL MATERIALS & GREENGUARD GOLD CERTIFIED. MUTO IS PRODUCED FROM 100% RECYCLABLE PET FELT WITH A MINIMUM OF 60% PRE-CONSUMER RECYCLED CONTENT.
COLORFASTNESS	IN ACCORDANCE WITH ATCC 16.3 OPTION 3 THE COLOR CHANGE TO LIGHT AT 20 AFU WAS 4.5.
FINISH	MATTE
APPLICATION	INDOOR USE ONLY
LEAD TIME	2 WEEKS (STOCK COLOR & PRINT)
WARRANTY	2 YEARS

TOLERANCE & MAINTENANCE

PET core is a soft fibrous material. All dimensions and squareness are subject to +/- 1/16" tolerance.

Vacuum to remove dirt and dust. Remove spills or spots immediately using a clean damp cloth. Carpet and fabric cleaners can also be used to clean. (Always test an inconspicuous area first.) Compressed air may be used to dust in difficult or hard-to-reach areas. To disinfect, bleach can be used in accordance with CDC Cleaning & Disinfection instructions. The solution ratio is 5 tablespoons of bleach to 1 gallon of water | 4 teaspoons of bleach to 1 quart of water. Apply solution by spray and wipe off immediately. (Always test in an inconspicuous area first.)



TILE

7 PROFILES


16" x 16" WIDTH & HEIGHT

RANGE FROM 1.5" TO 3" DEPTH

ALL TILE PROFILE INTERACT AND CAN BE USED TOGETHER TO MAKE YOUR VERY OWN DIMENSIONAL WALL ART. ROTATE TILES 90°, 180° OR 270° FOR ENDLESS PATTERN OPTIONS.




ALTO [all - toe]




ARCO [are - koe]




BASSO [bah - sew]




CIMA [chee - mah]



PICCO [peek - oh]



TUTTO [too - toe]



VALLE [vah - lay]

COLOR (STOCK)

MATTE COLOR

27 STANDARD COLORS


CUSTOM PRINT COLORS AVAILABLE

(CONTACT YOUR LOCAL SALES REP)


100% RECYCLABLE PET FELT

TOLERANCES


PET felt is made from 100% recyclable polyester plastic. Variation in depth will occur. Slight and consistent variations in color, density, texture are inherent to this core material and should be expected. Color, density and texture will vary by dye lot. MUTO is made with a 'felting' process which results in a textural heathered effect where the fibers consist of multiple tones and shades.




WHITE




BONE



OATMEAL



CAMEL



SAND




CASHMERE




FOG



LAMB'S EAR




PEWTER



NORDIC KNIT




WINTER WATER



GRAPHITE



BLACK



MIDNIGHT



BLUEBERRY




JUNIPER




SPLASH



STORM



SEAFOAM




SAGE




ARTICHOKE



LICHEN




SUNSHINE



QUAKING ASPEN



CLEMENTINE



CHILI PEPPER




CURRANT

COLOR (NON STOCK)

EXTENDED LEAD TIME

MATTE COLOR

12 STANDARD NON-STOCKED COLORS
CUSTOM PRINT COLORS AVAILABLE
(CONTACT YOUR LOCAL SALES REP)
100% RECYCLABLE PET FELT



LATTE



CITY GRAY



BONDI BLUE




MARINE




WASHED DENIM

TOLERANCES

PET felt is made from 100% recyclable polyester plastic. Variation in depth will occur. Slight and consistent variations in color, density, texture are inherent to this core material and should be expected. Color, density and texture will vary by dye lot. MUTO is made with a 'felling' process which results in a textural heathered effect where the fibers consist of multiple tones and shades.




DEEP JUNGLE



COLLARD GREEN



ASPARAGUS



PECAN



SIENA



RASPBERRY



PINK LEMONADE

PRINT COLOR


MATTE FINISH

4 PRINTED STANDARD COLORS
1/2" CORE THICKNESS
100% RECYCLABLE PET FELT
CUSTOM PRINT COLORS AVAILABLE
(CONTACT YOUR LOCAL SALES REP)

TOLERANCES

PET felt is made from 100% recyclable polyester plastic. Slight and consistent variations in color, density, texture are inherent to this core material and should be expected. Color, density and texture will vary by dye lot. MUTO is made with a 'felling' process which results in a textural heathered effect where the fibers consist of multiple tones and shades.


Please request physical samples as colors are represented differently with different computer monitors.



DESERT ROSE



DARK CLAY



RIVER



SAP GREEN

WOODED PRINT COLOR

MATTE FINISH


12 PRINTED WOODED GRAINS

1/2" CORE THICKNESS

100% RECYCLABLE PET FELT




WHITE WASHED OAK



BLONDE MAPLE



NATURAL ASH



AGED ASH



SMOKED ASH

TOLERANCES

PET felt is made from 100% recyclable polyester plastic. Slight and consistent variations in color, density, texture are inherent to this core material and should be expected. Color, density and texture will vary by dye lot. MUTO is made with a 'felling' process which results in a textural heathered effect where the fibers consist of multiple tones and shades.

Please request physical samples as colors are represented differently with different computer monitors.



AMBER ASH



WARM WALNUT




NATURAL WALNUT



BLACK WALNUT



WEATHERED PINE




CARBON WALNUT




CHARRED OAK

TILE GRAIN DIRECTION


GRAIN FOLLOWS ARROW




ALTO




ARCO




BASSO




CIMA



PICCO



TUTTO




VALLE


DIMENSIONS

7 TILE PROFILES


TILE SIZE: 16" x 16"
TILE MINIMUM DEPTH: 1.5"
TILE MAXIMUM DEPTH: 3.5"
DISCLAIMER: EACH MUTO SPAZIO TILE HAS TWO VISIBLE TABS ON EACH SIDE. WOOD GRAIN AND PRINTED TILES WILL HAVE A CONTRASTING TAB ON EACH SIDE.



DIMENSIONS CONTINUED



DIMENSIONS CONTINUED



TUTTO DIMENSIONS
WEIGHT: 2.8 LBS

VALLE DIMENSIONS
WEIGHT: 2.8 LBS




PATTERN INSPIRATION


UNLIMITED PATTERN OPTIONS

ROTATE PROFILES 90°, 180° OR 270°


MIX AND MATCH TILE PROFILES




PATTERN 01
ALTO - QTY 18
BASSO - QTY 18




PATTERN 02
TUTTO - QTY 36




PATTERN 03
TUTTO - QTY 36




PATTERN 04
ALTO - QTY 6
BASSO - QTY 12
TUTTO - QTY 18




PATTERN 05
BASSO - QTY 18
CIMA - QTY 18




PATTERN 06
BASSO - QTY 18
CIMA - QTY 18




PATTERN 07
CIMA - QTY 36




PATTERN 08
CIMA - QTY 36




PATTERN 09
CIMA - QTY 18
TUTTO - QTY 18



PATTERN 10
CIMA - QTY 18
TUTTO - QTY 18



PATTERN 11
PICCO - QTY 36




PATTERN 12
PICCO - QTY 36

PATTERN INSPIRATION CONTINUED


UNLIMITED PATTERN OPTIONS

ROTATE PROFILES 90°, 180° OR 270°


MIX AND MATCH TILE PROFILES




PATTERN 13
VALLE - QTY 36




PATTERN 14
PICCO - QTY 18
VALLE - QTY 18




PATTERN 15
PICCO - QTY 18
TUTTO - QTY 18




PATTERN 16
TUTTO - QTY 18
VALLE - QTY 18




PATTERN 17
BASSO - QTY 12
TUTTO - QTY 6
VALLE - QTY 18




PATTERN 18
ARCO - QTY 36




PATTERN 19
ARCO - QTY 36




PATTERN 20
ARCO - QTY 12
PICCO - QTY 6
VALLE - QTY 18




PATTERN 21
ARCO - QTY 18
VALLE - QTY 18



PATTERN 22
ARCO - QTY 18
PICCO - QTY 18



PATTERN 23
ARCO - QTY 18
PICCO - QTY 18



PATTERN 24
ARCO - QTY 18
VALLE - QTY 18

INSTALL



CLEAT OR DIRECT GLUE

1 CLEAT PER TILE

FACTORY APPLIED ADHESIVE BACKER

ATTACHMENT INSTRUCTIONS

1. WIPE WALL CLEAN OF DUST & DIRT
2. IDENTIFY LOCATION OF MUTO CLEAT
3. PEEL ADHESIVE PROTECTIVE COVER
4. WITH PRESSURE APPLY TO WALL
5. ORIENT SPAZIO TILE AND HANG ON CLEAT




DETAIL: INSTALLATION

ACOUSTICS

NRC TEST DATA

Higher NRC ratings mean higher sound absorbency. The performance of 1/2" MUTO PET felt core material increases as the depth of air gap increases.

NRC values will vary based on customization and specific installation details. Contact your sales representative to learn more.



	SAMPLE FREQUENCY (Hz)				NRC	SAA
	250	500	1000	2000		
PICCO	0.73	1.20	1.29	1.23	1.10	1.12
VALLE	0.60	1.17	1.26	1.22	1.05	1.07

ENVIRONMENTAL

DECLARE, MINDFUL MATERIALS & GREENGUARD GOLD CERTIFIED

We care about the environment and it matters that our materials support healthy and productive interior spaces. We use innovative materials but ensure that they meet the highest level of standards and expectations.

MUTO PET felt core material is 100% recyclable with no added urea formaldehyde.

